

## Datasheet

# AC-35000





## Adiabatic humidifier

	DESCRIPTION	UNITS	DATA
AIRFLOW	Admitted air flow	m <sup>3</sup> /h	30.000
	Panel load loss	Well	170 (120+50)
THE PIPE	Model	-	WILO TM 32/7
	Rated power/consumption	-	250W / 1,50 A
	Caudal (2m altura)	l/m	115
	Strain	V/Phases/Hz	230/1/50
	Level switch	-	AND
COOLING	Panel type	-	5090
	Dimensions	mm	1500x1800x200
	Amount	Units	1
	Total panel surface	m <sup>2</sup>	2,70
	Panel air speed	m/s	3,08
	Panel efficiency	%	92
	Delivery temperature (40°C – 30% HR)	°C	26,3
	Droplet separator	-	Si (1500x1800x050)
CONNECTIONS	Inlet solenoid valve	Inches	½"
	Water evacuation	Inches	1 ¼"
	Overflow	Inches	1"
SYSTEM CLEANING	Automatic emptying	-	AND
	Uv lamp	-	Optional
DIMENSIONS	Overall dimensions	Long wide high	2079x790x1514mm
	Connection mouth dimensions	Width heighth	1960x1500mm
	Empty/operating weight	Kg	132 / 152
CERTIFICATES			THIS

METALURGICA MANLLEUENSE, SA y Tel. +34 93 851 15 99 y [www.metmann.com](http://www.metmann.com)  
 C/Fontcuberta, 32-36 y 08560-Manlleu (Barcelona) SPAIN

## Get In Touch

 Call: 0845 6880112  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

## Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
 Settle, North Yorkshire, BD24 9RH

## Datasheet

# AC-35000





## Adiabatic humidifier

**EFICIENCIA DE SATURACIÓN / EFFICACITÉ DE SATURATION (%)**

ESPESOR ÉPAISSEUR	VELOCIDAD DEL AIRE / VITESSE DE L'AIR					
	0,5 m/s	1 m/s	1,5 m/s	2 m/s	2,5 m/s	3 m/s
50 mm	74	69	65	61,5	59	57
75 mm	84	81	78	75,5	73	71
100 mm	91	89	87	85	83	81,5
150 mm	97	96	95	94	93	92

**CAÍDA DE PRESIÓN / CHUTE DE PRESSION (Pa)**

ESPESOR ÉPAISSEUR	VITESSE DE L'AIR					
	0,5 m/s	1 m/s	1,5 m/s	2 m/s	2,5 m/s	3 m/s
50 mm	3	7	11,5	19	29	42
75 mm	3,5	8	14,5	24,5	38	55
100 mm	4	9	17	30	48	70,5
150 mm	5	10,5	19,5	36,5	60,5	88



## Standard construction details

- Water tray made of AISI-316 stainless steel • Corner posts and support legs in AISI-304 stainless steel • Top roof and side panels in galvanized steel painted in polyester powder • 200mm thick type 5090 cooling panels • Water pump WILO TM 32/7 with level switch • Normally closed inlet solenoid valve

- Float with adjustable buoy • Automatic emptying system
- Overflow pipe
- Water distributor applied to the ceiling • Valve to regulate the water flow • 30mm "metu" type frame • Drop separator • UV WATER CLEANING (water treatment with UV lamp) (optional)

METALURGICA MANLLEUENSE, SA y Tel. +34 93 851 15 99 y [www.metmann.com](http://www.metmann.com)  
 C/Fontcuberta, 32-36 y 08560-Manlleu (Barcelona) SPAIN

### Get In Touch

Call: 0845 6880112  
 Email: [info@adremmit.co.uk](mailto:info@adremmit.co.uk)

### Our Address

Puravent, Adremmit Limited, Unit 5a, Commercial Yard,  
 Settle, North Yorkshire, BD24 9RH


Datasheet

# AC-35000

Adiabatic humidifier



## Overall dimensions



METALURGICA MANLLEUENSE, SA y Tel. +34 93 851 15 99 y [www.metmann.com](http://www.metmann.com)  
C/Fontcuberta, 32-36 y 08560-Manlleu (Barcelona) SPAIN

Get In Touch

Call: 0845 6880112  
Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH


Datasheet

# AC-35000

Adiabatic humidifier



## Airflow direction



METALURGICA MANLLEUENSE, SA y Tel. +34 93 851 15 99 y [www.metmann.com](http://www.metmann.com)  
C/Fontcuberta, 32-36 y 08560-Manlleu (Barcelona) SPAIN

### Get In Touch

 Call: 0845 6880112  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
Settle, North Yorkshire, BD24 9RH


## Datasheet

# AC-35000

Adiabatic humidifier



## Example of installation in a pressurized paint booth



POSITION	DESCRIPTION	UNITS	REF
01	Adiabatic humidifier	1	
02	hot air generator	1	
03	Treated air duct	1	
04	Gas extraction chimney	1	
05	Air distribution plenum	1	

METALURGICA MANLLEUENSE, SA y Tel. +34 93 851 15 99 y [www.metmann.com](http://www.metmann.com)  
 C/Fontcuberta, 32-36 y 08560-Manlleu (Barcelona) SPAIN

### Get In Touch

 Call: 0845 6880112  
 Email: [info@adremit.co.uk](mailto:info@adremit.co.uk)

### Our Address

Puravent, Adremit Limited, Unit 5a, Commercial Yard,  
 Settle, North Yorkshire, BD24 9RH